

# Certificate of Compliance

**Certificate Number:**

E473991

**Report Reference:**

E473991-20210625

**Issue Date:**

2024-02-16

Issued to:

**Reno LED Lighting Inc**  
**9133 Leslie St, Unit 120**  
**Richmond Hill, ON L4B 4N1, Canada**

This certificate confirms that representative samples of:  
**LIGHT-EMITTING-DIODE LUMINAIRE RETROFIT KITS**  
**CERTIFIED FOR CANADA**  
See addendum page for models

Has been evaluated by UL LLC in accordance with Standard(s) for Safety:  
**CSA C22.2 NO. 250.1 - RETROFIT KITS FOR LUMINAIRE CONVERSION**

Additional Information:  
See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



David Piecuch  
UL Mark Certification Program Owner

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



# Certificate of Compliance

**Certificate Number:** E473991  
**Report Reference:** E473991-20210625  
**Issue Date:** 2024-FEBRUARY-16

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

LED Luminaire Retrofit Kits - WLL-LEDT8BP12/8xx-ECO (b).

(b) - Where XX denotes the color temperature of LED.

LED Retrofit Luminaire Conversion Kit: WLL-LEDT8EX15/8XX (#)

(#) refers to where XX represents color temperature (30=3000K, 35=3500K, 40=4000K, 45=4500K, 50=5000K, 65=6500K).