


Date		Project	
Type		Part Number	

PRIME R ALL-IN-ONE PERFORMANCE LIGHTING

ARIES Series

Shoebbox Accessories

The ARIES Series Shoebbox accessories are designed for pole or wall-mounting with either an arm extension, slip fitter or trunnion mount. In addition, various lens types are available to control optics making these area lights suitable for roadways, parking lots, walkways, and more.



PRODUCT FEATURES

- Corrosion resistant aluminum exterior
- Black Powder-Coated Finish
- Custom colors available
- 1 year warranty

KEY SPECIFICATIONS

Mounting	Pole and Wall
Applications	Shoebbox fixtures



EMERGENCY
BACKUP READY




RENO SMART
NLC SYSTEM




STANDALONE
SENSOR OPTIONS


ACCESSORIES - TRUNNION-G3 / SLIP FITTER / STRAIGHT ARM



R59004
RENO-Trunnion-G3
R59014
RENO-Trunnion-G3-WH



R59005
RENO-Slip Fitter-G3
R59015
RENO-Slip Fitter-G3-WH



R59006
RENO-STRAIGHT ARM-G3
R59016
RENO-STRAIGHT ARM-G3-WH

Order#	Model	Description
R59005	RENO-Slip Fitter-G3	Slip Fitter for Shoebox Fixture
R59006	RENO-Straight Arm-G3	Straight Arm mount for Shoebox Fixture
R59004	RENO-Trunnion-G3	Trunnion/U Bracket for Shoebox Fixture
R59016	RENO-Straight Arm-G3-WH	Straight Arm For Shoebox Fixture
R59014	RENO-Trunnion-G3-WH	Trunnion/U Bracket for Shoebox Fixture
R59015	RENO-Slip Fitter-G3-WH	Slip Fitter for Shoebox Fixture



Slip Fitter Mount




Straight Arm Pole Mount



Trunnion Mount

ACCESSORIES - SHEILDS




R59010
RENO-SB-SHIELD-R1/R2/R3/R4
(100W, 150W, 240W)




R59011
RENO-SB-SHIELD-R5
(450W)

Order#	Model	Description
R59010	RENO-SB-SHIELD-R1/R2/R3/R4	Shoebox Shield For 100W/150W/240W
R59011	RENO-SB-SHIELD-R5	Shoebox Shield For 450W


ACCESSORIES - LENSES




R59202
RENO-SB-TYPE-II-R1/R2



R59203
RENO-SB-TYPE-II-R3/R4/R5




R59204
RENO-SB-TYPE-IV-R1/R2



R59205
RENO-SB-TYPE-IV-R3/R4/R5







R59206
RENO-SB-TYPE-V-R1/R2



R59207
RENO-SB-TYPE-V-R3/R4/R5

Order#	Model	Description
R59202	RENO-SB-TYPE-II-R1/R2	Type II distribution optics lens for R1/R2 Shoebox
R59203	RENO-SB-TYPE-II-R3/R4/R5	Type II distribution optics lens for R3/R4 Shoebox (2pcs)
R59204	RENO-SB-TYPE-IV-R1/R2	Type IV distribution Optics Lens for Shoe box
R59205	RENO-SB-TYPE-IV-R3/R4/R5	Type IV distribution optics lens for R3/R4 Shoebox (2pcs)
R59206	RENO-SB-TYPE-V-R1/R2	Type V distribution optics lens for Shoebox
R59207	RENO-SB-TYPE-V-R3/R4/R5	Type V distribution Lens for R3/R4 Shoebox (2pcs)


LENES DISTRIBUTION



ACCESSORIES – RENO SMART NLC SENSORS




R75001
RENO-RS-JK-BPDN-12V
Bluetooth 3.5mm Jack PIR
Sensor for RENO Smart NLC
System




R75002
RENO-RS-JK-BMWM-12V
Bluetooth 3.5mm Jack
Microwave Sensor for RENO
Smart NLC System

Order#	Model	Description
R75001	RENO-RS-JK-BPDN-12V	Bluetooth 3.5mm Jack PIR Sensor for RENO Smart NLC System
R75002	RENO-RS-JK-BMWM-12V	Bluetooth 3.5mm Jack Microwave Sensor for RENO Smart NLC System

ACCESSORIES – STANDALONE SENSOR & REMOTES



R71002
RENO-SENSOR-MW-H
Bi-level dim sensor for linear
Highbays



R72001
RENO-SENSOR-PC-S
Photocell Sensor



R73002
RENO-REMOTE-H
Controller for bi-level sensor
(with screen)




R73005
RENO-REMOTE-H-ECO
Remote controller for Highbays
(without screen)


Order#	Model	Description
R71002	RENO-SENSOR-MW-H	Bi-level dim sensor for linear Highbays
R72001	RENO-SENSOR-PC-S	Photocell sensor
R73002	RENO-REMOTE-H	Controller for bi-level sensor (with screen)
R73005	RENO-REMOTE-H-ECO	Remote (without screen)

DIMENSIONS - MOUNTS AND BRACKETS


TRUNNION-G3




Width: 5.4" (138 mm)
 Height: 7.4" (188.9 mm)
 Length: 2.9" (73 mm)
 Weight: 3.5 lbs (1.6 kg)




STRAIGHT ARM




Width: 3.6" (90.5 mm)
 Height: 10" (253.6 mm)
 Length: 6.7" (169.4 mm)
 Weight: 3.5 lbs (1.6 kg)



SLIP FITTER




Width: 3.4" (85.5 mm)
 Height: 9.5" (241.1 mm)
 Length: 3.6" (90.5 mm)
 Weight: 2.9 lbs (1.3 kg)




DIMENSIONS - SHEILDS

R1, R2, R3, R4



Width: 12.3" (312.4 mm)
 Height: 3.8" (96.5 mm)
 Length: 8.3" (210.8 mm)
 Weight: 1.1 lbs (0.5 kg)


R5



Width: 15" (381 mm)
 Height: 5" (127 mm)
 Length: 12.3" (312.4 mm)
 Weight: 1.1 lbs (0.5 kg)

DIMENSIONS - LENSES


TYPE II



Width: 11" (279mm)
 Height: 0.4" (9.5mm)
 Length: 6.4" (162.6 mm)
 Weight: 0.41 lbs (0.18 kg)


DIMENSIONS - LENSES

TYPE IV



Width: 11" (279mm)
 Height: 0.4" (9.5mm)
 Length: 6.4" (162.6 mm)
 Weight: 0.48 lbs (0.19 kg)

TYPE V



Width: 11" (279mm)
 Height: 0.4" (9.5mm)
 Length: 6.4" (162.6 mm)
 Weight: 0.37 lbs (0.17 kg)