

Date: _____ Project: _____

Type: _____ Part #: _____

Array
Architectural Linear Luminaire

Illuminate structures like never before with the ARRAY SERIES Architectural Direct/Indirect Linear Strip System. This configurable linear strip system offers the freedom to craft both smooth, fluid curves and precise angular bends.

Whether a designer seeks the organic grace of natural forms or the geometric precision of modern design, the ARRAY SERIES adapts seamlessly to their vision, resulting in a innovative design of light.

Product Features

- Approved DLC Premium
- Improved Installation Connection Interface
- 4ft power cord for 2Ft fixtures, 8Ft power cord for 4Ft and 8Ft fixtures.
- 30% up (Indirect) and 70% down (Direct) Lighting Option
- Varying layout configurations
- Corners and other transition pieces are fully luminous
- Higher Lumen Efficiency up to 130lm/W
- Prismatic Diffuser Lens rated UGR<22
- IP20 Rated
- CCT selectable.
- Operating Temperature: (-13°F~104°F) -25~40°C
- Rated lifetime L70: >50,000 hours
- Finish: Black or White

Specifications

Voltage	120–347V AC
Wattage	2ft: 10/13/15W 4ft: 30/40/50W 8ft: 60/80/100W
Lengths	2ft, 4ft, 8ft
Power Factor	>0.9
CCT	3000K, 3500K, 4000K, 5000K
CRI	>90
Lumens	Up to 130 lm/W
Beam Angle	90°
Dimming	0-10V
Mounting	Surface, Recessed, Wall, Pendant
Applications	Cabinet, Retail, Hospitality, Shelf, Stair and corridors
Certifications	UL, DLC Premium, FCC, IP20, UGR

All Rights Reserved © Renolighting (905) 604-4666 | sales@renolighting.com | www.renolighting.com
Reno Lighting reserves the right to change this product and related instructions without notice.
Refer to the product page for the latest information.

Specifications

Order #	Model #	Size	Voltage	Wattage	Delivered Lumens	CCT	Finish
R33211	RENO-TLSN2-DV-MCT-MW-WH-G2	2 ft	120-347V	10/13/15W	up to 1,950 lm	30/35/40/5000K	White
R33212	RENO-TLSN4-DV-MCT-MW-WH-G2	4 ft	120-347V	30/40/50W	up to 6,500 lm	30/35/40/5000K	White
R33213	RENO-TLSN8-DV-MCT-MW-WH-G2	8 ft	120-347V	60/80/100W	up to 13,000 lm	30/35/40/5000K	White
R33214	RENO-TLSN2-DV-MCT-MW-BK-G2	2 ft	120-347V	10/13/15W	up to 1,950 lm	30/35/40/5000K	Black
R33215	RENO-TLSN4-DV-MCT-MW-BK-G2	4 ft	120-347V	30/40/50W	up to 6,500 lm	30/35/40/5000K	Black
R33216	RENO-TLSN8-DV-MCT-MW-BK-G2	8 ft	120-347V	60/80/100W	up to 13,000 lm	30/35/40/5000K	Black

All Rights Reserved © Renolighting (905) 604-4666 | sales@renolighting.com | www.renolighting.com
Reno Lighting reserves the right to change this product and related instructions without notice.
Refer to the product page for the latest information.

Photometrics

2 ft Architectural Linear Luminaire



Height	Center Beam (fc)	Beam Width (V/H)
4.0 ft	141.5 fc	3.9 ft / 3.5 ft
8.0 ft	35.4 fc	7.7 ft / 7.1ft
12.0 ft	15.7 fc	11.6 ft / 10.6 ft
16.0 ft	8.8 fc	15.5 ft / 14.1 ft
20.0 ft	5.7 fc	19.3 ft / 17.7 ft

Vertical Spread: 51.6°

Horizontal Spread: 47.7°

4 ft Architectural Linear Luminaire



Height	Center Beam (fc)	Beam Width (V/H)
4.0 ft	433.7 fc	4.2 ft / 3.7 ft
8.0 ft	108.4 fc	8.3 ft / 7.4 ft
12.0 ft	48.2 fc	12.5 ft / 11.1 ft
16.0 ft	27.1 fc	16.7 ft / 14.8 ft
20.0 ft	17.3 fc	20.8 ft / 18.5 ft

Vertical Spread: 55.0°

Horizontal Spread: 49.7°

All Rights Reserved © Renolighting (905) 604-4666 | sales@renolighting.com | www.renolighting.com
Reno Lighting reserves the right to change this product and related instructions without notice.
Refer to the product page for the latest information.

Photometrics

8 ft Architectural Linear Luminaire



Height	Center Beam (fc)	Beam Width (V/H)
4.0 ft	863.0 fc	4.2 ft / 3.7 ft
8.0 ft	215.8 fc	8.3 ft / 7.4 ft
12.0 ft	95.9 fc	12.5 ft / 11.1 ft
16.0 ft	53.9 fc	16.7 ft / 14.8 ft
20.0 ft	34.5 fc	20.8 ft / 18.5 ft

Vertical Spread: 55.0°

Horizontal Spread: 49.7°

All Rights Reserved © Renolighting (905) 604-4666 | sales@renolighting.com | www.renolighting.com
Reno Lighting reserves the right to change this product and related instructions without notice.
Refer to the product page for the latest information.

Accessories

Upper Luminous Modules



2 ft Upper Luminous Module (White)
R39401
RENO-TLSN2-MCCT-7W-UP-WH



2 ft Upper Luminous Module (Black)
R39413
RENO-TLSN2-MCCT-7W-UP-BK



4 ft Upper Luminous Module (White)
R39402
RENO-TLSN4-MCCT-12W-UP-WH



4 ft Upper Luminous Module (Black)
R39414
RENO-TLSN4-MCCT-12W-UP-BK



8 ft Upper Luminous Module (White)
R39403
RENO-TLSN8-MCCT-15W-UP-WH



8 ft Upper Luminous Module (Black)
R39415
RENO-TLSN8-MCCT-15W-UP-BK



Seamless Connection Lens (Translucent)
R39440
RENO-TLSN-SCL

Order #	Model #	Size	Finish	Description
R39401	RENO-TLSN2-MCCT-7W-UP-WH	2 ft	White	2ft Upper Luminous Module White
R39402	RENO-TLSN4-MCCT-12W-UP-WH	4 ft	White	4ft Upper Luminous Module White
R39403	RENO-TLSN8-MCCT-15W-UP-WH	8 ft	White	8ft Upper Luminous Module White
R39413	RENO-TLSN2-MCCT-7W-UP-BK	2 ft	Black	2ft Upper Luminous Module Black
R39414	RENO-TLSN4-MCCT-12W-UP-BK	4 ft	Black	4ft Upper Luminous Module Black
R39415	RENO-TLSN8-MCCT-15W-UP-BK	8 ft	Black	8ft Upper Luminous Module Black
R39440	RENO-TLSN-SCL	98 ft	Translucent	Rollable lens to make light seamless upwards

All Rights Reserved © Renolighting (905) 604-4666 | sales@renolighting.com | www.renolighting.com
Reno Lighting reserves the right to change this product and related instructions without notice.
Refer to the product page for the latest information.

Accessories

Angled Luminous Connectors



4-CCT "X" Shaped Connector (White)
R39425
RENO-TLSN-MCCT-X-WH-G2



4-CCT "X" Shaped Connector (Black)
R39437
RENO-TLSN-MCCT-X-BK-G2



4-CCT "V" Shaped Connector (White)
R39427
RENO-TLSN-MCCT-V-WH-G2



4-CCT "V" Shaped Connector (Black)
R39439
RENO-TLSN-MCCT-V-BK-G2



4-CCT "T" Shaped Connector (White)
R39426
RENO-TLSN-MCCT-T-WH-G2



4-CCT "T" Shaped Connector (Black)
R39438
3-CCT "T" Shaped Connector



4-CCT "L" Shaped Connector (White)
R39424
RENO-TLSN-MCCT-L-WH-G2



4-CCT "L" Shaped Connector (Black)
R39436
RENO-TLSN-MCCT-L-BK-G2



4-CCT "Y" Shaped Connector (White)
R39445
RENO-TLSN-MCCT-Y-WH-G2



4-CCT "Y" Shaped Connector (White)
R39446
RENO-TLSN-MCCT-Y-BK-G2

All Rights Reserved © Renolighting (905) 604-4666 | sales@renolighting.com | www.renolighting.com
Reno Lighting reserves the right to change this product and related instructions without notice.
Refer to the product page for the latest information.

Order #	Model #	Shape	Finish	Description
R39424	RENO-TLSN-MCCT-L-WH-G2	L	White	4-CCT "L" Shaped Connector White
R39425	RENO-TLSN-MCCT-X-WH-G2	X	White	4-CCT "X" Shaped Connector White
R39426	RENO-TLSN-MCCT-T-WH-G2	T	White	4-CCT "T" Shaped Connector White
R39427	RENO-TLSN-MCCT-V-WH-G2	V	White	4-CCT "V" Shaped Connector White
R39436	RENO-TLSN-MCCT-L-BK-G2	L	Black	4-CCT "L" Shaped Connector Black
R39437	RENO-TLSN-MCCT-X-BK-G2	X	Black	4-CCT "X" Shaped Connector Black
R39438	RENO-TLSN-MCCT-T-BK-G2	T	Black	4-CCT "T" Shaped Connector Black
R39439	RENO-TLSN-MCCT-V-BK-G2	V	Black	4-CCT "V" Shaped Connector Black
R39445	RENO-TLSN-MCCT-Y-WH-G2	Y	White	4-CCT "Y" Shaped Connector White
R39446	RENO-TLSN-MCCT-Y-BK-G2	Y	Black	4-CCT "Y" Shaped Connector Black

Accessories

Curved Luminous Connectors



4-CCT Quarter Circle Connector (White)
R39443
RENO-QCC-WH



4-CCT Quarter Circle Connector (Black)
R39444
RENO-QCC-BK



4-CCT Half Circle Connector (White)
R39441
RENO-HCC-WH



4-CCT Half Circle Connector (Black)
R39442
RENO-HCC-BK

Order #	Model #	Shape	Finish	Description
R39443	RENO-QCC-WH	Quarter Circle	White	3-CCT Quarter Circle Connector White
R39444	RENO-QCC-BK	Quarter Circle	Black	3-CCT Quarter Circle Connector Black
R39441	RENO-HCC-WH	Half Circle	White	3-CCT Half Circle Connector White
R39442	RENO-HCC-BK	Half Circle	Black	3-CCT Half Circle Connector Black

All Rights Reserved © Renolighting (905) 604-4666 | sales@renolighting.com | www.renolighting.com
Reno Lighting reserves the right to change this product and related instructions without notice.
Refer to the product page for the latest information.

Accessories
Linear Connectors



Linear Connector Kit (Connector)
R39408
RENO-TLSN-CK

Order #	Model #	Finish	Type	Description
R39408	RENO-TLSN-CK	Metallic	Connector	Linear Connector Kit

Accessories
Suspended Mounting



Suspension Kit (Metallic)
R39407
RENO-TLSN-SK



T-Bar Suspension Kit (Metallic)
R59456
RENO-TBSK



Canopy Kit (White)
R39412
RENO-TLSN-CANOPY-WH



Canopy Kit (Black)
R39419
RENO-TLSN-CANOPY-BK

Order #	Model #	Finish	Type	Description
R39407	RENO-TLSN-SK	Metallic	Suspension	Suspension Mounting Kit (Metallic)
R59456	RENO-TBSK	Metallic	T-Bar	T-Bar Suspension Mounting Kit (Metallic)
R39412	RENO-TLSN-CANOPY-WH	White	Canopy	Canopy Ceiling Mounting Kit (White)
R39419	RENO-TLSN-CANOPY-BK	Black	Canopy	Canopy Ceiling Mounting Kit (Black)

All Rights Reserved © Renolighting (905) 604-4666 | sales@renolighting.com | www.renolighting.com
Reno Lighting reserves the right to change this product and related instructions without notice.
Refer to the product page for the latest information.

Accessories

Sensor Connectors



2.5mm Jack Sensor Connector (White)
R39428
RENO-TLSN-SCK-WH



2.5mm Jack Sensor Connector (Black)
R39429
RENO-TLSN-SCK-BK

Order #	Model #	Shape	Finish	Description
R39428	RENO-TLSN-SCK-WH	I	White	2.5mm Jack Sensor Connect Kits for Arc Linear Strip | White Finish
R39429	RENO-TLSN-SCK-BK	I	Black	2.5mm Jack Sensor Connect Kits for Arc Linear Strip | Black Finish

Sensor Configuration Example 01

2x *Array 4 ft*

1x *2.5mm Jack Sensor Connector*

1x *Sensor*



Sensor Configuration Example 02

3x *Array 2 ft*

1x *Y-Shaped Connector*

1x *2.5mm Jack Sensor Connector*

1x *Sensor*



Note: The configurations shown are examples only. The sensor attachment can be connected to the light array in various arrangements to accommodate your specific layout and requirements.

All Rights Reserved © Renolighting (905) 604-4666 | sales@renolighting.com | www.renolighting.com
Reno Lighting reserves the right to change this product and related instructions without notice.
Refer to the product page for the latest information.

Accessories
PILOT by RENO Bluetooth Sensors



RENO PILOT Bluetooth PIR Sensor
R75011
RENO-PILOT-BT-PS-L1-2.5J

Order #	Model #	Description
R75011	RENO-PILOT-BT-PS-L1-2.5J	Bluetooth PIR Sensor w/ CCT Tuning | 2.5mm AUX | Daylight Harvesting | IP20 | 12VDC | 0-10V Dimming

Accessories
Standalone Sensors and Remotes



PIR Sensor
R74006
RENO-SENSOR-PIR-2.5MM-H



Remote Control for Standalone Sensors (With Screen)
R73002
RENO-REMOTE-H



Remote Control for Standalone sensors (Without Screen)
R73005
RENO-REMOTE-H-ECO

Order #	Model #	Description
R74006	RENO-SENSOR-PIR-2.5MM-H	2.5mm Jack | 12VDC | 13ft Height | 20ft Radius | Bi-Level / ON-OFF | Default: 30% @ 15m
R73002	RENO-REMOTE-H	Remote Control for Standalone Sensors (With Screen) Note: Only 1 needed per project.
R73005	RENO-REMOTE-H-ECO	Remote Control for Standalone Sensors (Without Screen) Note: Only 1 needed per project.

All Rights Reserved © Renolighting (905) 604-4666 | sales@renolighting.com | www.renolighting.com
Reno Lighting reserves the right to change this product and related instructions without notice.
Refer to the product page for the latest information.

Accessories
Recessed & Wall Mounting



Recess Mounting Kit (Recessed)
R39409
RENO-TLSN-MK



2 ft Recessed Mount Frame (Recessed)
R39451
RENO-RMF2



4 ft Recessed Mount Frame (Recessed)
R39452
RENO-RMF4



8 ft Recessed Mount Frame (Recessed)
R39453
RENO-RMF8



2 ft Wall Mount Frame (Wall)
R39454
RENO-WMF2



4 ft Wall Mount Frame (Wall)
R59455
RENO-WMF4



Surface Mounting Kit (Surface)
R39411
RENO-TLSN-CMK

Specifications

Order #	Model #	Size	Type	Description
R39409	RENO-TLSN-MK	–	Recessed	Recess Mounting Kit for Architectural Strips (2 Brackets per package)
R39451	RENO-RMF2	2 ft	Recessed	2 ft Recessed Mount Frame
R39452	RENO-RMF4	4 ft	Recessed	4 ft Recessed Mount Frame
R39453	RENO-RMF8	8 ft	Recessed	8 ft Recessed Mount Frame
R39454	RENO-WMF2	2 ft	Wall	2ft Wall Mount Frame
R59455	RENO-WMF4	4 ft	Wall	4ft Wall Mount Frame
R39411	RENO-TLSN-CMK	–	Surface	Surface Mounting Kit

All Rights Reserved © Renolighting (905) 604-4666 | sales@renolighting.com | www.renolighting.com
Reno Lighting reserves the right to change this product and related instructions without notice.
Refer to the product page for the latest information.

Dimensions

Linear Strips



	Array 2 ft Strip	Array 4 ft Strip	Array 8 ft Strip
Overall Length – A	25 5/8" | 650.875 mm	47 1/4" | 1,200.15 mm	94 31/64" | 2,399.9031 mm
Internal Length – B	19 1/16" | 484.1875 mm	42 43/64" | 1,083.8656 mm	89 59/64" | 2,284.0156 mm
Body Width – C	2 61/64" | 75.0094 mm	2 61/64" | 75.0094 mm	2 61/64" | 75.0094 mm
Body Height – D	2 23/64" | 59.9281 mm	2 23/64" | 59.9281 mm	2 23/64" | 59.9281 mm

All Rights Reserved © Renolighting (905) 604-4666 | sales@renolighting.com | www.renolighting.com
Reno Lighting reserves the right to change this product and related instructions without notice.
Refer to the product page for the latest information.

Mounting

Review of mounting types





Suspension Mounted option





T-Bar Suspension Option





Surface Mounting Option

All Rights Reserved © Renolighting (905) 604-4666 | sales@renolighting.com | www.renolighting.com
Reno Lighting reserves the right to change this product and related instructions without notice.
Refer to the product page for the latest information.

Mounting

Review of mounting types





Recessed Mounted option





Wall mounting Frame Option

All Rights Reserved © Renolighting (905) 604-4666 | sales@renolighting.com | www.renolighting.com
Reno Lighting reserves the right to change this product and related instructions without notice.
Refer to the product page for the latest information.

Sample Configuration

Building setup examples





Complex Linear Shape

8x	*Array 2 ft*
1x	*Y-Shaped Connector*
1x	*X-Shaped Connector*
1x	*T-Shaped Connector*





Rectangle Shape

6x	*Array 2 ft*
4x	*L-Shaped Connector*
2x	*Linear Connector*





All Rights Reserved © Renolighting (905) 604-4666 | sales@renolighting.com | www.renolighting.com
Reno Lighting reserves the right to change this product and related instructions without notice.
Refer to the product page for the latest information.

Sample Configuration

Building setup examples

Rounded Rectangle Shape

2x *Array 4 ft*

2x *Array 2 ft*

4x *Quarter Circle Connector*





Elliptiod Shape

2x *Array 2 ft*

2x *Half Circle Connector*





Hexagon Shape

6x *Array 2 ft*

6x *V-Shape Connector*





All Rights Reserved © Renolighting (905) 604-4666 | sales@renolighting.com | www.renolighting.com
Reno Lighting reserves the right to change this product and related instructions without notice.
Refer to the product page for the latest information.