
Date: _____ Project: _____

Type: _____ Part #: _____





Aurel Series

LED Architectural Vanity Sconce with Ambient Nightlight

Elevate modern residential and hospitality interiors with our 24-inch LED Architectural Vanity Sconce, a versatile lighting solution that seamlessly merges high-performance primary task illumination with an integrated night light for ultimate evening convenience.

Product Features

- Uses Integrated Switch to Set Light Temperature
- 2 Way Mounting-Wall/ Junction box
- 90 CRI for High Quality Color Rendering
- Nightlight Mode is Activated From Wall Switch to 2000K
- Adjust Color of Light with Integrated Switch to 2700K,3000K,3500K,4000K or 5000K
- Operating Temperature: -4°F to +104°F (-20°C to +40°C)
- Rated Lifespan: L70 ~ 100,000 Hrs
- 10-Year Limited Warranty

Specifications

Input Voltage	120V
Wattage	25W + (5W Night Light)
Selectable CCT	27/30/35/40/50K (Default 3K)
Power factor	>0.9
CRI	90+
Lumens	Up to 1,336 lm
Efficacy	Up to 53 lm/W
Beam Angle	140°
Dimming	Triac Dimming
Mounting	Wall Mount
Applications	Residential Bathrooms, Powder Rooms, Hotel Bathrooms & Multi-Family Residential.
Default Settings	25W/3,000K

RENO LIGHTING
All Rights Reserved © Renolighting (905) 604-4666 | sales@renolighting.com | www.renolighting.com
Reno Lighting reserves the right to change this product and related instructions without notice.
Refer to the product page for the latest information.

Specifications - (Brushed Nickel)

Order #	Model	Voltage	Wattage	Lumens	Efficacy	CCT
R32017	RENO-AUREL-24-VL-NL-BN	120V	25W	1116.6 lm	44.6 lm/W	2,700K
				1249.5 lm	49.9 lm/W	3,000K
				1249.3 lm	49.9 lm/W	3,500K
				1222.6 lm	48.9 lm/W	4,000K
				1091.3 lm	43.6 lm/W	5,000K

Note: 5W nightlight mode delivers 76.3 lm @ 2000K (15.2 lm/W efficacy).

Specifications - (Matte Black)


Order #	Model	Voltage	Wattage	Lumens	Efficacy	CCT
R32018	RENO-AUREL-24-VL-NL-BK	120V	25W	1185.5 lm	47.4 lm/W	2,700K
				1260.1 lm	50.4 lm/W	3,000K
				1336.9 lm	53.4 lm/W	3,500K
				1308.8 lm	52.3 lm/W	4,000K
				1167.4 lm	46.6 lm/W	5,000K

Note: 5W nightlight mode delivers 65.7 lm @ 2000K (13.1 lm/W efficacy).

All Rights Reserved © Renolighting (905) 604-4666 | sales@renolighting.com | www.renolighting.com
Reno Lighting reserves the right to change this product and related instructions without notice.
Refer to the product page for the latest information.

Dimensions

LED Architectural Vanity Sconce with Ambient Nightlight



Order #	Model	Length	Width	Depth	Weight
R32017	RENO-AUREL-24-VL-NL-BN	24" (609.6 mm)	5" (127 mm)	3.1" (78.74 mm)	2.5 kg / 5.5 lbs
R32018	RENO-AUREL-24-VL-NL-BK	24" (609.6 mm)	5" (127 mm)	3.1" (78.74 mm)	2.5 kg / 5.5 lbs

All Rights Reserved © Renolighting (905) 604-4666 | sales@renolighting.com | www.renolighting.com
Reno Lighting reserves the right to change this product and related instructions without notice.
Refer to the product page for the latest information.