
RENO®
LIGHTING
Veil Series
LED Gooseneck

Classic Form.
Modern Light.

Bring character and purposeful illumination to signs, porches, patios, and architectural exteriors.

Voltage: 120-347V

Selectable Wattage: 15W | 20W | 25W

Selectable CCT: 27/30/35/40/5000K

L70: >100,000 Hours

Efficacy: Up to 158 lm/W


Lumens: Up to 3,694 lm

110° Beam Angle

80 CRI

One Fixture.
More Control.

Adapt the light to your space with three selectable wattages and five colour temperatures. A built-in photocell adds convenient automatic dusk-to-dawn operation.



Selectable CCTs: 2700K–5000K

Photocell

Selectable Wattage: 15W | 20W | 25W

180° Vertical Rotation





360° Horizontal Rotation

Precision in Every Direction.

Direct light exactly where your project needs it. With 180° vertical tilt and 360° horizontal rotation, the Veil Series offers flexible aiming to highlight signage, entrances, and architectural details.

Set the tone.
Reveal the detail.

Made for the Moment

From a warm, inviting porch to crisp sign lighting,
select the light that fits the space.

Five selectable colour temperatures let you choose the character of the space, from warm 2700K to crisp 5000K. 5,000K is the default.

2700K **3000K** **3500K** **4000K** **5000K**

Customize the Look. Perfect the Light.

One signature fixture, multiple ways to make it yours. Select from compatible arm profiles and shade styles to suit the character of your project.









Veil Series | LED Gooseneck

Durability Meets Design.

With an IP65 rating and an operating range from -40°C to 45°C, Veil brings dependable illumination to exterior signs, porches, patios, and barns.

IP65

Rated for outdoor use, with protection against dust and water jets

Built to Last

L70 >100,000 hours and a 5-year warranty for lasting performance

Performance You Can Set.

Choose 15W, 20W, or 25W, with up to 3,694 lm and up to 158 lm/W.
0-10V dimming adds control for your project.

Light That Works Smarter.

A built-in photocell offers convenient dusk-to-dawn control.
Field-selectable settings make it easy to configure performance for each application.



Storefront, Sign & Wayfinding Lighting



Interior & Exterior Accent Lighting



Barn & Exterior Lighting

Porch & Entrance Lighting

RENO®
LIGHTING

Offices

CA
#120- 9133 Leslie St. Richmond Hill, ON L4B 4N1 Canada

US
#6728 - 735 Dunwoody Place Atlanta, GA
30350 United States

Contact

Tel: 905-604-4666

sales@renolighting.com

www.renolighting.com