

Date: _____ Project: _____

Type: _____ Part #: _____



Rail Series

Architectural Rounded Strip

Illuminate spaces with the RAIL SERIES Architectural Rounded Linear Strip System. Its configurable design allows precise angular bends, adapting seamlessly to both organic and geometric forms.



Product Features

- Aluminum Housing with Powder-Coated Finish
- Modern White or Matte Black finish
- Frosted Polycarbonate Lens creates a even light distribution
- Surface Mount clips and screws included
- Linear connector for row-mounting included
- Suspension and Wall Mounting kits sold separately
- 1.5kVA Surge Protection
- Class II driver, with 0-10V
- Higher efficacy, up to 146 lm/W
- IP20 Damp Location Rated
- Operating Temperature: -4°F to +104°F (-20°C to +40°C)
- Rated lifetime L70: >100,000 hours
- 10 Year Limited Warranty

Specifications


Voltage	120-347V AC
Selectable Wattages	20/30/40W
Length	4FT
Power Factor	>0.9
Selectable CCT	30/35/40/5000K
CRI	>80
Lumens	Up to 5,483 lm
Efficacy	Up to 125 lm/W
Beam Angle	120°
Dimming	0-10V
Mounting	Surface (Included), Suspension, Wall

Specifications - Rail Series


	R33411 RENO-RALS4-DV-MW-MCCT-WH – White			R33412 RENO-RALS4-DV-MW-MCCT-BK – Black		
	20W	30W	40W	20W	30W	40W
3000K	139 lm/W	4,125 lm	5,148 lm	2,780 lm	4,125 lm	5,148 lm
	2,780 lm	138 lm/W	129 lm/W	139 lm/W	138 lm/W	129 lm/W
3500K	2,821 lm	4,241 lm	5,225 lm	2,821 lm	4,241 lm	5,225 lm
	141 lm/W	141 lm/W	131 lm/W	141 lm/W	141 lm/W	131 lm/W
4000K	2,865 lm	4,189 lm	5,322 lm	2,865 lm	4,189 lm	5,322 lm
	143 lm/W	140 lm/W	133 lm/W	143 lm/W	140 lm/W	133 lm/W
5000K	2,924 lm	4,389 lm	5,483 lm	2,924 lm	4,389 lm	5,483 lm
	146 lm/W	146 lm/W	137 lm/W	146 lm/W	146 lm/W	137 lm/W

Photometrics


LUMINOUS INTENSITY DISTRIBUTION (20W 4K) Polar Candela



LUMINOUS INTENSITY DISTRIBUTION (30W 4K) Polar Candela




LUMINOUS INTENSITY DISTRIBUTION (40W 4K) Polar Candela



Accessories

Upper Luminous Module



4ft Upper Luminous Module


R39531

RENO-RALS4-UP

Order #	Model #	Description
R39531	RENO-RALS4-UP	4ft Upper Luminous Module


Dimensions

Rail 4FT



Model	Length	Width	Height	Weight
R33411	47.2 1198 mm	3.39" 86 mm	3.25" 900 mm	6.6 lbs (3 kg)

Mounting Options



Surface Mounting



Wall Mounting




Suspension Mounting


Accessories – Mounting




Suspension Kit
R39532
RENO-RALS4-UP



Suspension Kit
R39533
RENO-RALS-CANOPY-BK



Wall Mount Kit
R39534
RENO-RALS-WMB-WH



Wall Mount Kit
R39535
RENO-RALS-WMB-BK

Order #	Model #	Description
R39532	RENO-RALS-CANOPY-WH	10ft Suspension Kit White Finish
R39533	RENO-RALS-CANOPY-BK	10ft Suspension Kit Black Finish
R39534	RENO-RALS-WMB-WH	Wall Mounting Kit White Finish
R39535	RENO-RALS-WMB-BK	Wall Mounting Kit Black Finish