



Date		Project	
Type		Part Number	

ARCHITECTURAL LUMINAIRES BY RENO LIGHTING

ECLIPSE Series

Half-Moon Wall Pack



The Eclipse Series Half-Moon Wall Pack is a sleek, semi-circular outdoor light fixture designed for efficient illumination. Perfect for security and accent lighting, it provides wide, glare-free light while enhancing the aesthetic of building exteriors and walkways. Often featuring energy-efficient LEDs, these durable fixtures are built to withstand the elements.



Product Features

- DLC Premium
- IP65 Rated for Wet Locations
- Aluminum Alloy & PC Material
- Comes integrated with a photocell switch. Optional on /off
- High and stable lumen output
- Easy Installation & Maintenance
- Operating temperature: -40°F to +122°F (-40°C to +50°C)
- Rated Lifetime L70 >100,000 hrs
- 10 year limited warranty

Key Specifications

Voltage	120-347V
Wattage	Selectable Wattage: R1 - 24/32/40W R2 - 48/64/80W
Efficacy	135 lm/W
CCT	3000K or 4000K or 5000K
CRI	>80
Lumens	Up to 10,800 lm
Beam Angle	135°
Dimming	0-10V
Mounting	Wall
Applications	Commercial, Parking, School and Hospital



ECLIPSE Series | Half-Moon Wall Pack

ARCHITECTURAL LUMINAIRES BY  RENO LIGHTING

Specifications

Order#	Model	Wattage	Voltage	Efficacy	Lumens	CCT
R51030	RENO-SCWP-MW-DV-MCCT-R1	24/32/40W	120-347V	135 lm/W	3,240/4,320/5,400 lm	30/40/5000K
R51031	RENO-SCWP-MW-DV-MCCT-R2	48/64/80W	120-347V	135 lm/W	6,480/8,640/10,800 lm	30/40/5000K

DLC Certification

Order#	Model	Application	Standard	Premium
R51030	RENO-SCWP-MW-DV-MCCT-R1	Outdoor Full-Cutoff Wall-Mounted Area Luminaires	-	S-999VR0
R51031	RENO-SCWP-MW-DV-MCCT-R2	Outdoor Full-Cutoff Wall-Mounted Area Luminaires	-	S-V5Z1LZ

Accessories



RENO-EM-EX15

All Weather Emergency
LED Driver

Order#	Model	Description
R83010	RENO-EM-EX15	All weather Emergency LED Driver





ECLIPSE Series | Half-Moon Wall Pack

ARCHITECTURAL LUMINAIRES BY  RENO LIGHTING

Dimensions

R1-R2

Width: 13.0" (330 mm)

Depth: 6.9" (175.1 mm)

Height: 6.5" 165 mm

Weight: 6 lbs (2.72 kgs)

